This Page Is Inserted by IFW Operations and is not a part of the Official Record

BEST AVAILABLE IMAGES

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images may include (but are not limited to):

- BLACK BORDERS
- TEXT CUT OFF AT TOP, BOTTOM OR SIDES
- FADED TEXT
- ILLEGIBLE TEXT
- SKEWED/SLANTED IMAGES
- COLORED PHOTOS
- BLACK OR VERY BLACK AND WHITE DARK PHOTOS
- GRAY SCALE DOCUMENTS

IMAGES ARE BEST AVAILABLE COPY.

As rescanning documents will not correct images, please do not report the images to the Image Problem Mailbox.

Reag s and Methods Useful for Detecting Γ is ses of the Prostate M. Cohen

		, 01	. •		
>g885075 Consensus	TGCGCNGGAG TGCGCNGGAG	CCTGAGCGGA CCTGAGCGGA	GGGTGTGCGC GGGTGTGCGC	AGCCTCGCCA AGCCTCGCCA	GCGGGGGCCC GCGGGGGCCC
>g885075 Consensus	CGGGCTGNGC CGGGCTGNGC	CATTGCCTCA CATTGCCTCA	CTGAGCCAGC CTGAGCCAGC	GCCTGCCTNC GCCTGCCTNC	TACCTCGCCG TACCTCGCCG
>g885075 Consensus		CCAGTGCGAC CCAGTGCGAC			
>g885075 Consensus		GGCTGACCCC GGCTGACCCC			
>g885075 Consensus		TTCATGGTTT TTCATGGTTT			
>g885075 >1512846 Consensus	CAAACA	GCTGGGGCCC GCTGGGGCCC	AAGATCGTCA	TCGTGAGCAA	GATGATGAAG
>g885075 >1512846 >1551713 Consensus	GACGTGTTCT	TCTTCCTCTT TCTTCCTCTT	CTTCCTCGGC C	GTGTGGCTGG GTGTGGCTGG	TAGCCTATGG TAGCCTATGG
>g885075 >1512846 >1551713 Consensus	GTTGGCCACG CGTGGCCACG CGTGGCCACG		TGAGGCCACG TGAGGCCACG	GGACAGTGAC GGACAGTGAC	TTCCCAAGTA TTCCCAAGTA
>1512846 >1551713 >1251961 Consensus	TCCTGCGCCG	CGTCTTCTAC CGTCTTCTAC	CGTCCCTACC	TGCAGATCTT	CGGGCAGATT CGGGCAGATT
>1512846 >1551713 >1251961 Consensus	CCCCAGGAGG	ACATGGAC ACATGGACGT ACATGGACGT ACATGGACGT	GGCCCTCATG	GAGCACAGCA	ACTGCTCGTC
>1551713 >1251961 Consensus	TCTCCCAGTA	TTCTGGGCAC TGCCAACTGG TGCCAACTGG	CTGGTGGTGC	GGCCCAGGCG	
>1251961 Consensus		TGCCAACTGG TGCCAACTGG			
>1251961 Consensus		ACATCCTGCT ACATCCTGCT			
>1251961 >1209763 Consensus		AAAGTACAGG AAAGTACAGG	GCGA	TCTCTACTGG	AAGGCGCAGG
>1209763 Consensus	TTACCCCCTC		TCCACTCTCG	GCCCGCGCTG	GCCCCGCCCT


M. Cohen

M. Cohen S/N 09/418,887


Re. nts and Methods Useful for Detecting seases of the Prostate


			2017		
>1209763 Consensus				TCAGGCAATT TCAGGCAATT	
>1209763 Consensus				CTCGAGCATT CTCGAGCATT	
>1209763 >1815040	CCTTTCTAAG	GAAGCCGAGC	GGAAGCTGCT	AACGTGGGAA	TCGGTGCATA GTGCATA
Consensus	CCTTTCTAAG	GAAGCCGAGC	GGAAGCTGCT	AACGTGGGAA	
>1209763 >1815040		TCTGCTGGCA		ACAAGCGGGA	GAGCGACTCC
Consensus				ACAAGCGGGA	
>1815040 Consensus				GACTTGGCAC GACTTGGCAC	
>1815040 Consensus				GAAAGTGCTG GAAAGTGCTG	
>1815040 Consensus				TGGCCGAGGC TGGCCGAGGC	
>1815040 >1859374	TCTGCCTTGC	TGCCCCCAGG	TGGGCCGCCA	CCCCCTGACC	TGCCTGGGTC GGGTC
Consensus	TCTGCCTTGC	TGCCCCCAGG	TGGGCCGCCA	CCCCCTGACC	
>1815040		GCCCTGCTGG			
>1859374				GGAGAAGCCC GGAGAAGCCC	
Consensus	CAAAGACTGA	GCCCIGCIGG	CGGACTICAA	GGAGAAGCCC	CCACAGGGGA
>1859374 >1650092	TTTTGCTCCT			CTCGGCCCCC CTCGGCCCCC	
Consensus	TTTTGCTCCT			CTCGGCCCCC	
>1859374				TCTGGGCCAC	
>1650092				TCTGGGCCAC TCTGGGCCAC	
Consensus	GCCTIGTCCT	TGAGGTGAGC	CCCATGTCCA	TCTGGGCCAC	TGTCAGGACC
>1859374				AGCATGCCCG	
>1650092 Consensus				AGCATGCCCG AGCATGCCCG	
Consensus	ACCITIGGGA	didicateer	IACAAACCAC	AGCATGCCCG	GCTCCTCCCA
>1859374				CTGGATCCCG	
>1650092 Consensus				CTGGATCCCG CTGGATCCCG	
	· -				22002111110
>1650092 Consensus			CTTGGGGTAA CTTGGGGTAA		

M. Cohen S/N 09/418,887
Rea ats and Methods Useful for Detecting of the Prostate eases




Re _ents and Methods Useful for Detecting is eases of the Prostate





M. Cohen S/N 09/418,887

Regents and Methods Useful for Detecting seases of the Prostate



M. Cohen S/N 09/418,887

Reag s and Methods Useful for Detecting L ase of the Prostate

6 of 7




FIG.4A

M. Cohen S/N 09/418 °87
R. _ents and Methods Useful for Detecting iseases of the Prostate




FIG.4B